

# RISK CONTROL CONSULTING

## Sprains and Strains

Are the leading causes of workplace injuries resulting in loss time incidents and can affect several areas of the body not just the back. Protect your health by taking steps to mitigate the risk of sprains and strains by following these guidelines:

### What are sprains and strains?

Sprains and strains are two types of musculoskeletal disorders (MSDs). In the work environment, strains and sprains are caused by excessive reaching, bending, lifting, gripping, squatting, or twisting of hands, shoulders or body. In general, any work performed with high force, with many repetitions, or in a position that feels awkward is risky. Even a motion that is harmless in and of itself, like stretching out the arm to grasp an object or squeezing a tool, may put the worker at risk of injury if it is repeated over and over.

### How does a sprain differ from a strain?

A *sprain* is a stretch or tear of a ligament (a band of fibrous tissue that connects two or more bones at a joint). One or more ligaments may be injured at the same time. The severity of the injury will depend on the extent of the injury (whether the tear is partial or complete) and the number of ligaments involved. A *strain* is an injury to a muscle or tendon (a fibrous cord of tissue that connects a muscle to a bone). Depending on the severity of the injury, a strain can be as simple as an overstretching of a muscle or tendon, or it can be the result of a partial or complete tear.

### What causes sprains and strains?

A sprain can result from a fall, a sudden twist or blow to the body that causes a joint to move out of its normal position and stretches or tears the ligaments supporting that joint. Some common sites in the body where sprains occur are the ankle, knees and wrist.

A strain is caused by twisting or pulling a muscle or tendon. Strains can be either acute or chronic. An acute strain is associated with a recent injury or trauma. It can also occur following improperly lifting heavy objects or overstressing the muscles. Some common examples of strains are back strains, hamstring, and elbow strains.

### What factors in the workplace contribute to sprains and strains?

Aspects of work tasks that can lead to fatigue, musculoskeletal disorder (MSD) symptoms and injuries, or other types of problems may be present in one or more tasks that employees must perform to accomplish their jobs. The contributing factors that employers and employees should be aware of include:

- Awkward postures
- Repetitive motions

# RISK CONTROL CONSULTING

- Forceful exertions
- Pressure points
- Vibration

## The following best practices can be followed to avoid sprains and strains?

- Avoid Awkward postures
- Be aware of surroundings
- Follow proper lifting techniques
- Follow a well-balanced diet
- Incorporate warm up or stretching exercises
- Maintain good housekeeping
- Rotate tasks to avoid repetitive motions
- Stay healthy by exercising
- Use material handling equipment
- Wear proper footwear
- **Report injuries immediately to your supervisor**

\*Information adapted from NIOSH (National Institute of Occupational Safety and Health) and National Institute of Health (NIH).

This Tribal First Risk Control Consulting fact sheet is not intended to be exhaustive. The discussion and best practices suggested herein should not be regarded as legal advice. Readers should pursue legal counsel or contact their insurance providers to gain more exhaustive advice. For more information on this topic, please contact Tribal First Risk Control Consulting at (888) 737-4752 or [riskcontrol@tribalfirst.com](mailto:riskcontrol@tribalfirst.com).